

In the claims: The claims are as follows.

1. (Currently amended) A method ~~for use in establishing a network connection on behalf of an application (14a-d) hosted by a device (10), the method comprising:~~

a step ~~(23b)~~ in which a device ~~of obtaining~~ obtains information about currently active cellular network systems; and

a step ~~(24)~~ in which the device ~~of deciding~~ decides whether to allow establishing the a network connection on behalf of an application hosted by the device based on factors including the information about currently active cellular network systems.

2. (Original) The method of claim 1, wherein the information about currently active cellular network systems includes information about combinations of different kinds of connections allowed by each currently active cellular network system.

3. (Original) The method of claim 1, wherein the factors also include information about connections currently in use or wherein the information about currently active cellular network systems includes information about connections currently in use.

4. (Original) The method of claim 3, wherein the information about connections currently in use includes at least the number and type of connections currently in use.

5. (Currently amended) The method of claim 4, further comprising:

a step ~~(22)~~ in which a request is made of a network resource controller within the device for permission to establish the network connection and the request includes an identifier corresponding to the application requesting the network connection;

and wherein the information about connections currently in use includes identifiers for applications using the connections currently in use, and further wherein the factors also include the identifier for the application and the identifiers for applications using the connections currently in use.

6. (Original) The method of claim 1, wherein the factors also include the maximum amount of concurrent packet switched data allowed by the connections currently in use.

7. (Original) The method of claim 1, wherein the active cellular network systems include at least a GSM network, a WCDMA network, or a CDMA2000 network.

8. (Currently amended) A mobile terminal ~~(10)~~, equipped to establish a network connection on behalf of an application ~~(14a-d)~~ hosted by the mobile terminal ~~(10)~~, characterized in that it comprises:

~~means~~ a resource manager ~~(11b-11e)~~, responsive to a signal from the application ~~(14a-d)~~ to establish the connection, for providing a request to allow establishing the connection; and

a network resource control module ~~(11a)~~, responsive to a request to allow establishing the connection, and also responsive to information about currently active cellular systems, for determining whether to allow establishing the connection based on factors including the information about currently active cellular network systems.

9. (Currently amended) The mobile terminal ~~(10)~~ of claim 8, wherein the information about currently active cellular network systems includes information about combinations of different kinds of connections allowed by each currently active cellular network system.

10. (Currently amended) The mobile terminal ~~(10)~~ of claim 8, wherein the factors also include information about connections currently in use or wherein the information about currently active cellular network systems includes information about connections currently in use.

11. (Currently amended) The mobile terminal ~~(10)~~ of claim 10, wherein the information about connections currently in use includes at least the number and type of connections currently in use.

12. (Currently amended) The mobile terminal ~~(10)~~ of claim 10, further characterized in that ~~it also~~ the network resource manager comprises:

means ~~(22)~~ for making a the request for permission to establish the network connection with the request including an identifier corresponding to the application requesting the network connection;

wherein the information about connections currently in use includes identifiers for applications using the connections currently in use, and further wherein the factors also include the identifier for the application and the identifiers for applications using the connections currently in use.

13. (Currently amended) The mobile terminal ~~(10)~~ of claim 8, wherein the factors also include the maximum amount of concurrent packet switched data allowed by the connections currently in use.

14. (Currently amended) The mobile terminal ~~(10)~~ of claim 8, wherein the active cellular network systems include at least a GSM network, a WCDMA network, or a CDMA2000 network.

15. (Currently amended) The mobile terminal ~~(10)~~ of claim 8,

further characterized in that it also comprises a cellular network information server~~-(12)~~, responsive to a request to provide the information about currently active cellular systems, for providing such information.

16. (Currently amended) A computer program product comprising: a computer readable storage structure embodying computer program code thereon for execution by a computer processor in a telecommunication terminal~~-(10)~~, with said computer program code characterized in that it includes instructions for performing the steps of the method of claim 1.

17. (Currently amended) A computer program product comprising: a computer readable storage structure embodying computer program code thereon for execution by a computer processor in a telecommunication terminal~~-(10)~~, with said computer program code characterized in that it includes instructions for performing the steps of the method of claim 5.

18. (Currently amended) A computer program product comprising: a computer readable storage structure embodying computer program code thereon for execution by a computer processor in a telecommunication terminal~~-(10)~~, with said computer program code characterized in that it includes instructions for performing the steps of the method of claim 7.

19. (Currently amended) A system, comprising an operator network ~~(17)~~ having at least one cellular system ~~(17a-17b)~~, and also comprising a mobile terminal ~~(10)~~ as in claim 8.

20. (Currently amended) A system, comprising an operator network ~~(17)~~ having at least one cellular system ~~(17a-17b)~~, and also comprising a mobile terminal ~~(10)~~ as in claim 12.